Ref	SAD TEMPLATE
Contract Number:	
Contractor:	
Сору	of

<<Subsystem>> Software Architecture Document

SAD Template Page 1 of 21

<<Subsystem>> Software Architecture Document

	Title	Name	Signature	Date Issued
Prepared by:				
Checked by:				
Approved by:				

Version History

Date Issued	Description	Source of	
	of change	Change	
	(including		
	no. of		
	affected		
	paragraph)		
	Date Issued	of change (including no. of affected	of change (including no. of affected

Table of Contents

1.	Scope	10
1.1.	Identification	10
1.2.	System Overview	10
1.3.	Document Overview	10
1.3.1.	Document Structure	10
1.3.2.	How Stakeholders can use the document	11
1.3.3.	View Template	13
2.	Applicable Documents	14
2.1.	Army and Government Standards and Documents	14
2.2.	Internal Procedures and Documents	14
2.3.	Customer Documents	14
2.4.	Other Standards and Documents	15
3.	Rationale, Background and Constraints	15
3.1.	Architecture Goals and Constraints	15
3.2.	Key Architectural Concepts and Decisions	15
3.3.	Key Alternatives	15
3.4.	Reuse	15
3.5.	System Context	15
4.	Requirements View	16
4.1.	Primary Presentations	16
4.2.	Elements Catalogue	16
4.2.1.	Use Cases	16
4.2.2.	Key Non-Functional Requirements	16
4.2.3.	Use Case realizations	16
4.3.	Architectural Background	16
4.3.1.	Rationale	16
4.3.2.	Analysis Results	16
4.3.3.	Assumptions	16
4.4.	Additional Information	16

5.	Package View	16
5.1.	Primary Presentation	16
5.2.	Element Catalogue	16
5.2.1.	<< Package #1>>	16
5.3.	Architectural Background	17
5.3.1.	Rationale	17
5.3.2.	Analysis Results	17
5.3.3.	Assumptions	17
5.4.	Additional Information	17
6.	Infrastructure View	17
6.1.	Primary Presentation	17
6.2.	Element Catalogue	17
6.2.1.	< <class #1="">></class>	17
6.3.	Architectural Background	17
6.3.1.	Rationale	17
6.3.2.	Analysis Results	17
6.3.3.	Assumptions	17
6.4.	Additional Information	17
7.	Class View	17
7.1.	Primary Presentation	17
7.2.	Element Catalogue	18
7.2.1.	< <class #1="">></class>	18
7.3.	Architectural Background	18
7.3.1.	Rationale	18
7.3.2.	Analysis Results	18
7.3.3.	Assumptions	18
7.4.	Additional Information	18
8.	Process View	18
8.1.	Primary Presentation	18
8.2.	Element Catalogue	19
8.2.1.	< <task #1="" process="">></task>	19
8.3.	Architectural Background	19

8.3.1.	Rationale	10
8.3.2.	Analysis Results	
8.3.3.	Assumptions	
8.4.	Additional Information	19
9.	Deployment View	19
9.1.	Primary Presentation	19
9.2.	Element Catalogue	19
9.2.1.	< <hardware #1="" node="">></hardware>	19
9.3.	Architectural Background	20
9.3.1.	Rationale	20
9.3.2.	Analysis Results	20
9.3.3.	Assumptions	20
9.4.	Additional Information	20
10.	Development Environment View	20
10.1.	Primary Presentation	20
10.2.	Element Catalogue	20
10.2.1.	< <tool #1="">></tool>	20
10.3.	Architectural Background	20
10.3.1.	Rationale	20
10.3.2.	Analysis Results	20
10.3.3.	Assumptions	20
10.4.	Additional Information	20
11.	COMMSEC & COMPUSEC View	20
11.1.	Primary Presentation	20
11.2.	Element Catalogue	21
11.2.1.	< <aspect #1="">></aspect>	21
11.3.	Architectural Background	21
11.3.1.	Rationale	21
11.3.2.	Analysis Results	21
11.3.3.	Assumptions	21
11.4.	Additional Information	21
12.	Safety View	21

12.1.	Primary Presentation	21
12.2.	Element Catalogue	21
12.2.1.	< <aspect #1="">></aspect>	21
12.3.	Architectural Background	21
12.3.1.	Rationale	21
12.3.2.	Analysis Results	21
12.3.3.	Assumptions	21
12.4.	Additional Information	21

List of Figures

Error! No table of figures entries found.

List of Tables

Error! No table of figures entries found.

Abbreviations

SAD Software Architecture Document

COMMSEC & Communication Security & Computer Security

COMPUSEC

1. Scope

1.1. Identification

This Software Architecture Document establishes the top-level design and overall architecture for the <<Subsystem>> of <<System>.

The documents explain the design details from different views – where a view is a description of the entire sub-system from a single perspective.

1.2. System Overview

<< The section shall briefly state the purpose of the system and shall identify and describe the role, within the system, of the Subsystem to which this document applies.>>

1.3. Document Overview

This section describes the structure and contents of the software architecture documentation

1.3.1. Document Structure

The document contains the following chapters:

- Chapter 1- lists and outlines the contents of the documentation and explains how the documentation can be used by various stakeholders.
- Chapter 2 includes the reference to all the applicable documents used in building and describing the system's architecture.
- Chapter 3 describes the top-most view of the architecture, i.e. the main goals behind the design; what are the major decisions affecting the solution; the major alternatives weighted and why they were abandoned etc.
- Chapter 4 contains references to the SRS documentation, identifying the requirements that drive the architecture as well as the results of the analysis of these requirements (in the form of analysis classes).
- Chapter 5 is part of the logical view of the system, describing the partitioning or breakdown of the system into packages (organizational units that pertain to a specific subject matter)

- Chapter 6 details the main classes of the software infrastructure (or framework) on which the solution is built. The infrastructure class view is also part of the logical view of the system
- Chapter 7 details the main classes of the solution from the "business" perspective, that is, the major classes that were the derived from the use case realizations detailed in chapter 4. Chapter 7 is, also, a part of the system's logical view.
- Chapter 8 the process view details the partitioning of the solution into processes and threads of execution, including any timing issues.
- Chapter 9 describes the deployment of the software system unto hardware nodes. The view describes both what processes run on each hardware node and what packages are deployed on each node.
- Chapter 10 describes the development environment used for developing the solution. The view also includes the rationale for OS selection as well as the rationale for selecting any COTS tools or components.
- Chapter 11 describes the system from the security perspectives that is, both communication security (COMMSEC) and computerization security (COMPUSEC).
- Chapter 12 describes the safety related issues of the solution.

1.3.2. How Stakeholders can use the document

This section lists the major stakeholder roles of the <<Subsystem>> and how they may use the SAD to address their concerns.

• Someone new to the project: Read the documentation roadmap (this chapter) to understand how views are documented and what the different views are. Read the system overview (Chapter 3) to understand the big-picture and system-level rationale. Next, read the package view to understand the top level of the solution as well as the deployment view for understanding of the hardware environment.

- Project manager: To help with project planning / on-going management concentrate on the views explaining the major requirements and the logical view (package, infrastructure and class views). Read the deployment view to understand the hardware requirements (which will help understand testing requirements)
- Security/Safety Analyst: Read the deployment view to understand the
 physical environment in which the system operates as well as the
 COMMSEC & COMPUSEC and Safety views that explain the important
 aspects of the system in their respective areas.
- Maintainer: Read the system-level rationale as well as the package view for an overview of the system. Read the development environment view for an understanding of what is needed to set up a working environment and the deployment view for an overview of the hardware environment. Read the various parts of the logical view (package, infrastructure and class views) for details on the software structure.
- Customer/Acquirer: Read the system-level overview and rational. Read the
 requirement view and the package view to gain a broad understanding of how
 the system is structured to carry out its mission and to gain an appreciation of
 the effort that must be made to build it.
- Users: Users will usually not be very interested in the architecture documentation; however they can read the package view to gain understanding of the system functionality.
- System Engineers: Read the system-level rationale and the package view to gain understanding of the top level structure of the software. Read the deployment view for the mapping of software and hardware components.
 Additionally read the safety view to understand the impact of safety issue on the overall system design.
- Developers: Developers (and designers) are the primary target of the
 architecture document and as such most if not all of the views are relevant
 reading. A top-down reading is to start with the system-level rationale
 followed by the requirements view, package view, process view and

deployment view – reading all these will help you gain understanding of the top-level architecture of the system. To gain a more detailed understanding also read the infrastructure and class views as well as the development environment view.

1.3.3. View Template

The <<Subsystem>> architecture is described as a number of related "view items" or views. Each view is a relatively small, self-contained (as much as possible) bundle of information about the system or a particular part/aspect of the system.

This section described the standard organization that the documentation for the different views obeys:

- 1. A **Primary Presentation** that shows the elements (and their relationships) that composes the view. The primary describes the elements in the vocabulary of that viewpoint. Usually only the primary elements and relations are depicted in the view, but under some circumstances it may contain all of them (e.g. only few elements exist in a particular view). When views are particularly large the view may contain only a subset of the primary element or relation, in those cases, for example only the elements and relations that come into play during normal operation and relegating the error handling and exception processing to supporting documentation. The primary presentation is usually graphical. If so it will include a reference to the notation (such as UML). When the notation is informal, the key will say so and define the symbology used and its meaning.
- 2. **Element Catalogue** detailing at least all the elements depicted in the primary presentation. The Catalogue usually includes (it may contain additional sections as needed):
 - a. Scope or Description The name of each element in the view and its main properties or usage.
 - b. **Relations** Each view has specific types of relations it depicts among the elements in the view. This section describes the relations that are

depicted in the primary presentation as well as others that were omitted for readability propos.

- 3. Architectural Background explaining why the design reflected in the view came to be. The goal of this section is to explain why the design is as it is and to convince that the design is sound and robust. Architectural Background includes:
 - a. Rationale The section explains why the design decisions reflected in the view were made as well as reflecting some (or all) of the rejected alternatives and why they were rejected.
 - b. **Analysis results** The section documents the results of the analysis that have been performed that helped shape the design to its current state.
 - c. Assumptions The section documents any assumptions made by the architecture/design team that affected the design. As well as the reasons for the assumptions made.
- 4. **Additional Information**. The section, as its name implies, contains information relevant to the view that is not included in any of the former sections.

2. Applicable Documents

2.1. Army and Government Standards and Documents

[1]

[2]

2.2. Internal Procedures and Documents

[1] <<Subsystem SRS>>

[2]

2.3. Customer Documents

[1]

2.4. Other Standards and Documents

- [1] IEEE Recommended Practice for Architectural Description of Software-Intensive Systems (ISBN 0-7381-2518-0)
- [2] Documenting Software Architectures; Clements et al (ISBN 0-201-70372-6)
- 3. Rationale, Background and Constraints
- 3.1. Architecture Goals and Constraints
- 3.2. Key Architectural Concepts and Decisions
- 3.3. Key Alternatives
- 3.4. Reuse
- 3.5. System Context

<< Reference SRS if exists >>

4. Requirements View

4.1. Primary Presentations

<< Key Use Case Diagrams>>

4.2. Elements Catalogue

4.2.1. Use Cases

<< Table including: Name, Scope, Key Scenario, ref to SSR>>

4.2.2. Key Non-Functional Requirements

4.2.3. Use Case realizations

<<Analysis Classes>>

4.3. Architectural Background

4.3.1. Rationale

4.3.2. Analysis Results

4.3.3. Assumptions

4.4. Additional Information

5. Package View

5.1. Primary Presentation

<< Key Packages diagram>>

5.2. Element Catalogue

5.2.1. << Package #1..>>

5.2.1.1. Scope

<< Description of the package content>>

5.2.1.2. Interfaces

<<Main interfaces of the package>>

5.3.	Architectural Background
5.3.1.	Rationale
5.3.2.	Analysis Results
5.3.3.	Assumptions
5.4.	Additional Information
6.	Infrastructure View
6.1.	Primary Presentation < <major classes="" diagram="">></major>
6.2.	Element Catalogue
6.2.1.	< <class #1="">></class>
6.2.1.1.	Scope < <description class="" content="" of="" the="">></description>
6.2.1.2.	Services
6.2.1.3.	Relations
6.3.	Architectural Background
6.3.1.	Rationale
6.3.2.	Analysis Results
6.3.3.	Assumptions
6.4.	Additional Information
7.	Class View
7.1.	Primary Presentation < <key class="" diagrams="">></key>

7.2. Element Catalogue

7.2.1. <<Class #1..>>

7.2.1.1. Scope

<<Description of the class content>>

7.2.1.2. Services

7.2.1.3. Relations

7.3. Architectural Background

7.3.1. Rationale

7.3.2. Analysis Results

7.3.3. Assumptions

7.4. Additional Information

8. Process View

8.1. Primary Presentation

<<Task/process diagrams>>

8.2. Element Catalogue

8.2.1. << Task/Process #1>>

8.2.1.1. Scope

8.2.1.2. Creation

8.2.1.3. Class Allocated to Task/Process

8.2.1.4. Timing

8.3. Architectural Background

8.3.1. Rationale

8.3.2. Analysis Results

8.3.3. Assumptions

8.4. Additional Information

9. Deployment View

9.1. Primary Presentation

<< Hardware components and interface diagrams>>

9.2. Element Catalogue

9.2.1. <<Hardware Node #1..>>

9.2.1.1. Scope

<< Description of the Hardware>>

9.2.1.2.	Process allocation to node
9.2.1.3.	Packages allocation to node
9.3.	Architectural Background
9.3.1.	Rationale
9.3.2.	Analysis Results
9.3.3.	Assumptions
9.4.	Additional Information
10.	Development Environment View
10.1.	Primary Presentation < <os, cots="" etc.="" tools,="">></os,>
10.2.	Element Catalogue
10.2.1.	< <tool #1="">></tool>
10.3.	Architectural Background
10.3.1.	Rationale
10.3.2.	Analysis Results
10.3.3.	Assumptions
10.4.	Additional Information
11.	COMMSEC & COMPUSEC View
11.1.	Primary Presentation < <security components="" related="">></security>

- 11.2. Element Catalogue
- 11.2.1. <<Aspect #1..>>
- 11.3. Architectural Background
- 11.3.1. Rationale
- 11.3.2. Analysis Results
- 11.3.3. Assumptions
- 11.4. Additional Information
- 12. Safety View
- **12.1. Primary Presentation** <<Safety related components>>
- 12.2. Element Catalogue
- 12.2.1. <<Aspect #1..>>
- 12.3. Architectural Background
- **12.3.1. Rationale**
- 12.3.2. Analysis Results
- 12.3.3. Assumptions
- 12.4. Additional Information